

See discussions, stats, and author profiles for this publication at: <http://www.researchgate.net/publication/277270020>

Is it time to consider the “burnout syndrome” a distinct illness?

ARTICLE *in* FRONTIERS IN PUBLIC HEALTH · JUNE 2015

DOI: 10.3389/fpubh.2015.00158

DOWNLOADS

60

VIEWS

36

3 AUTHORS:



Renzo Bianchi

Université de Neuchâtel

39 PUBLICATIONS 31 CITATIONS

SEE PROFILE



Irvin Sam Schonfeld

CUNY Graduate Center

67 PUBLICATIONS 1,226 CITATIONS

SEE PROFILE



Eric Laurent

University of Franche-Comté

37 PUBLICATIONS 77 CITATIONS

SEE PROFILE

Is it time to consider the “burnout syndrome” a distinct illness?

Renzo Bianchi^{1*}, Irvin Sam Schonfeld² and Eric Laurent³

¹ Institute of Work and Organizational Psychology, University of Neuchâtel, Neuchâtel, Switzerland, ² Department of Psychology, The City College of the City University of New York, New York, NY, USA, ³ Department of Psychology, University of Franche-Comté, Besançon, France

OPEN ACCESS

Edited by:

Michael Pascal Hengartner,
Zurich University of Applied Sciences,
Switzerland

Reviewed by:

Stephane Rothen,
Geneva University Hospitals,
Switzerland
Caroline Vandeleur,
Lausanne University Hospital,
Switzerland

*Correspondence:

Renzo Bianchi,
Institut de Psychologie du Travail et
des Organisations, Université de
Neuchâtel, rue Émile Argand 11,
CH-2000 Neuchâtel, Suisse
renzo.bianchi@unine.ch

Specialty section:

This article was submitted to Public
Mental Health, a section of the journal
Frontiers in Public Health

Received: 27 April 2015

Accepted: 27 May 2015

Published: 08 June 2015

Citation:

Bianchi R, Schonfeld IS and
Laurent E (2015) Is it time to
consider the “burnout syndrome”
a distinct illness?
Front. Public Health 3:158.
doi: 10.3389/fpubh.2015.00158

The “burnout syndrome” has been defined as a combination of emotional exhaustion, depersonalization, and reduced personal accomplishment caused by chronic occupational stress. Although there has been increasing medical interest in burnout over the last decades, it is argued in this paper that the syndrome cannot be elevated to the status of diagnostic category, based on (1) an analysis of the genesis of the burnout construct, (2) a review of the latest literature on burnout-depression overlap, (3) a questioning of the three-dimensional structure of the burnout syndrome, and (4) a critical examination of the notion that burnout is singularized by its *job-related* character. It turns out that the burnout construct is built on a fragile foundation, both from a clinical and a theoretical standpoint. The current state of science suggests that burnout is a form of depression rather than a differentiated type of pathology. The inclusion of burnout in future disorder classifications is therefore unwarranted. The focus of public health policies dedicated to the management of “burnout” should not be narrowed to the three definitional components of the syndrome but consider its depressive core.

Keywords: burnout syndrome, conceptual overlap, depression, depressive disorders, differential diagnosis, mood disorders, nosology, stress

Burnout has been defined as a combination of emotional exhaustion, depersonalization, and reduced personal accomplishment caused by chronic work stress (1). This constellation of symptoms involves overwhelming fatigue and loss of motivation, a cynical view of one’s job, and a sense of ineffectiveness and failure. Burnout has been presented as an increasingly prevalent phenomenon in modern societies and has received growing attention from both researchers and practitioners, since it was initially described in the 1970s (2–4). Whether burnout should be considered an illness in its own right, however, remains a highly debated issue in the scientific and medical spheres.

While burnout does not appear in the 5th edition of the *Diagnostic and Statistical Manual of Mental Disorders* [(DSM-5); (5)], it has been established as a legitimate justification for sick leave in several countries, for instance Sweden (6). Another illustration of the increasing recognition given to the syndrome is burnout’s having been identified as a factor influencing health status and contact with health services in the 10th edition of the *International Classification of Diseases* (ICD-10) – burnout is coded Z73.0 and defined as a *state of vital exhaustion* (7). In the present paper, we suggest that, despite the current trend toward using the burnout label as a medical diagnosis (4, 6), the burnout phenomenon is unlikely to represent a differentiated pathological entity. As a corollary, we argue against the elevation of burnout to the status of nosological category in classification systems under preparation.

We enumerate four reasons why burnout should not become a nosological category. First, the foundation on which the burnout construct sits is tenuous. Second, burnout substantially overlaps with depression. Third, the three-dimensional structure of the burnout syndrome is unrealistic. Fourth, the mere fact of defining burnout as job-related is not nosologically discriminant.

The Burnout Construct is a Fragile Construction

A number of methodological flaws mark the elaboration of the burnout construct and weaken its validity (8). In the original interviews and observations from which the construct of burnout emerged, the presence of already-described stress-related conditions (e.g., depressive syndromes) was not investigated in a systematic manner, suggesting that the conceptualization of burnout symptoms as constituents of a separate entity (1) may be an artifact of a poorly controlled approach to illness characterization (9, 10). In addition, it is noteworthy that the instrument of reference for the assessment of burnout, the Maslach Burnout Inventory [MBI; (1)], is “neither grounded in firm clinical observation nor based on sound theorizing” [(11), p. 3; see also Ref. (8, 12)]. Instead, “it has been developed inductively by factor-analyzing a rather arbitrary set of items” [(11), p. 3; see also Ref. (12), p. 188]. The arbitrariness surrounding the elaboration of the MBI constitutes a fundamental problem, especially given the central role of the instrument in the definition of the burnout phenomenon – “burnout is what the MBI measures” [(12), p. 188] – and the growth of burnout research as a whole (8, 11). As noted by some leading investigators in the field of burnout research (12), if other items had been submitted to that original factor analysis, most probably, other dimensions would have emerged, and burnout would have been defined differently. This state of affairs undermines the burnout construct at its foundation.

Burnout Overlaps with Depression

Depression is primarily defined by anhedonia and dysphoric mood (5). Chronic, unresolvable stress and the impossibility of effective/gratifying action have long been regarded as key depressogenic factors (13–17). Substantiating the aforementioned concerns related to the genesis of the burnout construct, a growing corpus of evidence suggests that burnout problematically overlaps with depression.

Burned out individuals have been found to report as many depressive symptoms as clinically depressed patients, underlining qualitative *and* quantitative overlap of the two entities [see Ref. (8)]. In a 5575-participant study (18), no fewer than 90% of the individuals categorized as burned out met criteria for a provisional diagnosis of depression – as established by the 9-item depression module of Patient Health Questionnaire [PHQ-9; (19)]. A majority of the individuals identified as depressed reported symptoms of *DSM-5* depression *with atypical features* – mood reactivity, significant weight gain or hyperphagia, hypersomnia, leaden paralysis, and interpersonal rejection sensitivity resulting in social or occupational impairment (5).¹ Interestingly, atypical depression and burnout have both in past research been associated with pervading fatigue, a chronic course, and hypocortisolism (8).

In addition, in a recent eye-tracking study (22), burnout and depression were found to predict similar attentional and behavioral alterations. These alterations consisted of increased

focusing on “dysphoric stimuli” and decreased focusing on “positive stimuli.” Burnout and depression were interchangeable in their capacity to predict those alterations. Another recent study has shown that the association between allostatic load – a biological index of the cumulative impact of chronic stress on the organism – and burnout was no longer significant when depression was statistically controlled (23). Finally, in longitudinal studies adopting person-centered approaches (9, 24), burnout and depressive symptoms have been found to be inseparably linked, increasing or declining together over time. Thus, although some researchers have suggested that burnout is irreducible to depression (1, 25), this hypothesis has become less and less plausible as research has advanced. As assumed by Bianchi et al. (9), from a historical standpoint, the burnout construct may reflect a disciplinary divide between (social) psychology and psychiatry, rather than capture a distinct pathological phenomenon.

The Structure of the Burnout Syndrome is Incoherent

Consistent with the previously addressed points, the basic structure of burnout as a three-dimensional syndrome has been seriously questioned in the last decade (9, 26, 27). In many studies [see Ref. (9)], emotional exhaustion – the core of burnout (1, 12, 28) – has been found to be more strongly associated with depressive symptoms than with the two other definitional dimensions of the syndrome – depersonalization and poor personal accomplishment. Based on such observations, it is unclear why depersonalization and poor personal accomplishment are considered constituents of the burnout syndrome whereas depressive symptoms are not. These findings support the view that the field-dominating definition of burnout is artificial and does not tap a discrete, unified pathological phenomenon.

Defining Burnout as a Job-Related Syndrome is not Nosologically Discriminant

It has often been claimed that burnout is singularized by its *job-related* character [e.g., Ref. (1)]. However, it should be observed that the attribution of an illness to a specific domain, for instance work, is not nosologically discriminant *per se* (8). A job-related depression (29–31), for example, remains a depression. A new nosological category is not needed on the grounds that domain-specific etiological factors are discernible.

Furthermore, it is worth remembering that the restriction of the definition of burnout to the occupational domain is (1) arbitrary and (2) self-fulfilling when burnout is assessed with the MBI, given that the MBI does not allow for an assessment of emotional exhaustion, depersonalization, and personal accomplishment beyond the job context (32, 33).² In sum, the “job-relatedness” argument does not provide a solid basis for singularizing burnout, notably with respect to depression.

¹The term *atypical* “does not connote an uncommon or unusual clinical presentation” [(5); p. 186]. Depression with atypical features is a frequently met form of depression (20, 21).

²Remarkably, some minority conceptualizations of burnout do not restrict the syndrome to work (26, 34). However, such conceptualizations have carried little weight in burnout research thus far.

Conclusion

The conditions under which the burnout construct was elaborated as well as the accumulated evidence on burnout-depression overlap cast doubt on the nosological distinctiveness of burnout. The current state of science suggests that burnout is a form of depression rather than a differentiated type of pathology. Hence, distancing ourselves from the trend toward viewing burnout as a singular illness, we do not recommend the inclusion of burnout as a disorder in upcoming systems of classification.

References

- Maslach C, Schaufeli WB, Leiter MP. Job burnout. *Annu Rev Psychol* (2001) **52**:397–422. doi:10.1146/annurev.psych.52.1.397
- Freudenberger HJ. Staff burnout. *J Soc Issues* (1974) **30**:159–65. doi:10.1111/j.1540-4560.1974.tb00706.x
- Schaufeli WB, Leiter MP, Maslach C. Burnout: 35 years of research and practice. *Career Dev Int* (2009) **14**:204–20. doi:10.1108/13620430910966406
- Weber A, Jaekel-Reinhard A. Burnout syndrome: a disease of modern societies? *Occup Med* (2000) **50**:512–7. doi:10.1093/occmed/50.7.512
- American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders*. 5th ed. Washington, DC: Author (2013).
- Friberg T. Burnout: from popular culture to psychiatric diagnosis in Sweden. *Cult Med Psychiatry* (2009) **33**:538–58. doi:10.1007/s11013-009-9149-z
- World Health Organization. *The ICD-10 Classification of Mental and Behavioural Disorders: Clinical Descriptions and Diagnostic Guidelines*. Geneva: Author (1992).
- Bianchi R, Schonfeld IS, Laurent E. Burnout-depression overlap: a review. *Clin Psychol Rev* (2015) **36**:28–41. doi:10.1016/j.cpr.2015.01.004
- Bianchi R, Schonfeld IS, Laurent E. Is burnout separable from depression in cluster analysis? A longitudinal study. *Soc Psychiatry Psychiatr Epidemiol* (2015) **50**(6):1005–11. doi:10.1007/s00127-014-0996-8
- Robins E, Guze SB. Establishment of diagnostic validity in psychiatric illness: its application to schizophrenia. *Am J Psychiatry* (1970) **126**:983–7. doi:10.1176/ajp.126.7.983
- Schaufeli WB. Past performance and future perspectives of burnout research. *South Afr J Indust Psychol* (2003) **29**:1–15. doi:10.4102/sajip.v29i4.127
- Schaufeli WB, Enzmann D. *The Burnout Companion to Study and Practice: A Critical Analysis*. London, UK: Taylor & Francis (1998).
- Darwin CR. *The Life and Letters of Charles Darwin*. London, UK: John Murray (1887).
- Gilbert P. Evolution and depression: issues and implications. *Psychol Med* (2006) **36**:287–97. doi:10.1017/S0033291705006112
- Laborit H. *La Nouvelle Grille*. Paris: Gallimard (1974).
- Peterson C, Maier SF, Seligman MEP. *Learned Helplessness: A Theory for the Age of Personal Control*. New York, NY: Oxford University Press (1993).
- Pizzagalli DA. Depression, stress, and anhedonia: toward a synthesis and integrated model. *Annu Rev Clin Psychol* (2014) **10**:393–423. doi:10.1146/annurev-clinpsy-050212-185606
- Bianchi R, Schonfeld IS, Laurent E. Is burnout a depressive disorder? A re-examination with special focus on atypical depression. *Int J Stress Manag* (2014) **21**:307–24. doi:10.1037/a0037906
- Kroenke K, Spitzer RL. The PHQ-9: a new depression diagnostic and severity measure. *Psychiatr Ann* (2002) **32**:509–15. doi:10.3928/0048-5713-20020901-06
- Blanco C, Vesga-Lopez O, Stewart JW, Liu SM, Grant BF, Hasin DS. Epidemiology of major depression with atypical features: results from the national epidemiologic survey on alcohol and related conditions (NESARC). *J Clin Psychiatry* (2012) **73**:224–32. doi:10.4088/JCP.10m06227
- Matza LS, Revicki DA, Davidson JR, Stewart JW. Depression with atypical features in the national comorbidity survey: classification, description, and consequences. *Arch Gen Psychiatry* (2003) **60**:817–26. doi:10.1001/archpsyc.60.8.817
- Bianchi R, Laurent E. Emotional information processing in depression and burnout: an eye-tracking study. *Eur Arch Psychiatry Clin Neurosci* (2015) **265**:27–34. doi:10.1007/s00406-014-0549-x
- Hintsala T, Elovainio M, Jokela M, Ahola K, Virtanen M, Pirkola S. Is there an independent association between burnout and increased allostatic load? Testing the contribution of psychological distress and depression. *J Health Psychol* (in press). doi:10.1177/1359105314559619
- Ahola K, Hakanen J, Perhoniemi R, Mutanen P. Relationship between burnout and depressive symptoms: a study using the person-centred approach. *Burn Res* (2014) **1**:29–37. doi:10.1016/j.burn.2014.03.003
- Iacovides A, Fountoulakis KN, Kaprinis S, Kaprinis G. The relationship between job stress, burnout and clinical depression. *J Affect Disord* (2003) **75**:209–21. doi:10.1016/S0165-0327(02)00101-5
- Kristensen TS, Borritz M, Villadsen E, Christensen KB. The Copenhagen burnout inventory: a new tool for the assessment of burnout. *Work Stress* (2005) **19**:192–207. doi:10.1080/02678370500297720
- Shirom A, Melamed S. A comparison of the construct validity of two burnout measures in two groups of professionals. *Int J Stress Manag* (2006) **13**:176–200. doi:10.1037/1072-5245.13.2.176
- Cox T, Tisserand M, Taris T. The conceptualization and measurement of burnout: questions and directions. *Work Stress* (2005) **19**:187–91. doi:10.1080/02678370500387109
- Rydmark I, Wahlberg K, Ghatan PH, Modell S, Nygren Å, Ingvar M, et al. Neuroendocrine, cognitive and structural imaging characteristics of women on longterm sickleave with job stress-induced depression. *Biol Psychiatry* (2006) **60**:867–73. doi:10.1016/j.biopsych.2006.04.029
- Tennant C. Work-related stress and depressive disorders. *J Psychosom Res* (2001) **51**:697–704. doi:10.1016/S0022-3999(01)00255-0
- Wang J. Work stress as a risk factor for major depressive episode(s). *Psychol Med* (2005) **35**:865–71. doi:10.1017/S0033291704003241
- Bianchi R, Truchot D, Laurent E, Brisson R, Schonfeld IS. Is burnout solely job-related? A critical comment. *Scand J Psychol* (2014) **55**:357–61. doi:10.1111/sjop.12119
- Hallsten L, Josephson M, Torgén M. *Performance-Based Self-Esteem: A Driving Force in Burnout Processes and its Assessment*. Stockholm: National Institute for Working Life (2005). Report No. 2005:4.
- Pines AM, Neal MB, Hammer LB, Ickerson T. Job burnout and couple burnout in dual-earner couples in the sandwiched generation. *Soc Psychol Q* (2011) **74**:361–86. doi:10.1177/0190272511422452

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2015 Bianchi, Schonfeld and Laurent. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.